


Id: 2/7



matei repair lab

Sheet: /mcu/
File: mcu.kicad_sch


Title: MICROCONTROLLER

Size: A4
KiCad E.D.A. 9.0.6

Date: 2023-10-11

Rev: 0.1

Id: 3/7



matei repair lab

Sheet: /encoder/

File: encoder.kicad_sch

Title: MAGNETIC ENCODER 14 BIT



Size: A4

Date: 2023-10-11

Rev: 0.1

KiCad E.D.A. 9.0.6

Id: 4/7



For MAX15062AATA+T (C2846801):
 R501: 0R
 R502, R503: DNP

For MAX15062CATA+T (C1121853):
 R501: 200k
 R502, R503: 51k, 22k

$R_a = R_b(V_{out}/0.9 - 1)$
 3.36V (closest to 3v3 with basic parts)

matei repair lab

Sheet: /psu/
 File: psu.kicad_sch

Title: POWER SUPPLY & FILTERING


Size: A4

Date: 2023-10-11

Rev: 0.1

KiCad E.D.A. 9.0.6

Id: 6/7



Sheet: /half bridges/
File: halfbridges.kicad_sch

Title:




Size: A4

Date:

KiCad E.D.A. 9.0.6

Rev:

Id: 7/7



matei repair lab

Sheet: /current sense/
File: currentsense.kicad_sch

Title: HALL CURRENT SENSING

Size: A4 Date: 2023-10-11

KiCad E.D.A. 9.0.6

Rev: 0.1

Id: 8/7